CONTENTS OF VOLUME 27

JANUARY

D. Kenett, E. Katchalski-Katzir and G. Fleminger — 1 Use of monoclonal antibodies in the detection of structural alterations occurring in lysozyme on heating

P. Mollier, S. Chwetzoff and A. Ménez — 7 A monoclonal antibody recognizing a conserved epitope in a group of phospholipases A_2

S. F. Schluter, C. J. Beischel, S. A. Martin and J. J. Marchalonis — 17 Sequence analysis of homogeneous peptides of shark immunoglobulin light chains by tandem mass spectrometry: correlation with gene sequence and homologies among variable and constant region peptides of sharks and mammals

K. Udaka, M.-M. Chua, L.-H. Tong, F. Karush and S. H. Goodgal — 25 Bacterial expression of immunoglobulin V_H proteins

M.-L. Defendini, E. M. Bahraoui, C. Labbe-Jullie, A. Regnier-Vigouroux, M. El Ayeb, J. van Rietschoten, H. Rochat and C. Granier — 37 Identification of antigenic residues on apamin recognized by polyclonal antibodies

J. Lubega — 45 A kinetic study of human IgG binding to placental Fcγ-receptor

D. V. Erbe, J. E. Collins, L. Shen, R. F. Graziano and M. W. Fanger — 57 The effect of cytokines on the expression and function of Fc receptors for IgG on human myeloid cells

T. Seya, H. Inoue, M. Okada, M. Matsumoto, H. Kitamura, T. Kinoshita and H. Akedo — 69 Proteolytic elimination of decay-accelerating factor (DAF): lytic abnormality coincides with removal of DAF in papain-treated human erythrocytes

S. Baskar, G. H. Sunshine and S. Leskowitz — 79 The presentation of L-tyrosine–azobenzenearsonate by different mouse Ia molecules uses a common agretope

J. J. Crowley, R. A. Mageed, G. J. Silverman, P. P. Chen, F. Kozin, R. A. Erger, R. Jefferis and D. A. Carson — 87 The incidence of a new human cross-reactive idiotype linked to subgroup V_HIII heavy chains

S. C. Jordan, J. M. Lemire, R. S. Sakai, M. Toyoda and J. S. Adams — 95 Exogenous interleukin-2 does not reverse the immunoinhibitory effects of 1,25-dihydroxyvitamin D_3 on human peripheral blood lymphocyte immunoglobulin production

FEBRUARY

K. R. Ely, J. N. Herron and A. B. Edmundson — 101 Three-dimensional structure of a hybrid light chain dimer: protein engineering of a binding cavity

A. Alonso, L. A. Chang and H. Murialdo — 115 Analysis of the expression of murine λ genes transfected into immunocompetent cell lines

M.-C. Denoroy, J. Yodoi and J. Banchereau — 129 Interleukin 4 and interferons α and γ regulate FcεR2/CD23 mRNA expression on normal human B cells

R. T. Maziarz, S. J. Burakoff and D. V. Failer — 135 The regulation of exogenous and endogenous class I MHC genes in a human tumor cell line, K562

L. Menéndez-Arias, J. Domínguez, I. Moneo and R. Rodríguez — 143 Epitope mapping of the major allergen from yellow mustard seeds, *Sin a* I

F. Polo, R. Ayuso and J. Carreira — 151 HPLC purification of the main allergen of *Parietaria judaica* pollen

M. Hoogerwerf, R. S. Weening, C. E. Hack and D. Roos — 159 Complement fragments C3b and iC3b coupled to latex induce a respiratory burst in human neutrophils

M. H. Smith and B. H. Barber — 169 The conformational flexibility of class I H-2 molecules as revealed by anti-peptide antibodies specific for intracytoplasmic determinants: differential reactivity of β_2-microglobulin "bound" and "free" H-2K^b heavy chains

M. L. Phillips, V. T. Oi and V. N. Schumaker — 181 Electron microscopic study of ring-shaped, bivalent hapten, bivalent antidansyl monoclonal antibody complexes with identical variable domains but IgG1, IgG2a and IgG2b constant domains

A. Falus, K. G. Fehér, E. Walcz, M. Brozik, G. Füst, T. Hidvégi, T. Fehér and K. Merétey — 191 Hormonal regulation of complement biosynthesis in human cell lines—I. Androgens and gamma-interferon stimulate the biosynthesis and gene expression of C1 inhibitor in human cell lines U937 and HepG2

A. Falus, H. Rokita, E. Walcz, M. Brozik, T. Hidvégi and K. Merétey — 197 Hormonal regulation of complement biosynthesis in human cell lines—II. Upregulation of the biosynthesis of complement components C3, factor B and C1 inhibitor by interleukin-6 and interleukin-1 in human hepatoma cell line

MARCH

Review

D. Eilat — 203 The role of germline gene expression and somatic mutation in the generation of autoantibodies to DNA

Papers

M. A. Lynes, J. S. Garvey and D. A. Lawrence — 211 Extracellular metallothionein effects on lymphocyte activities

B. D. Wines and S. B. Easterbrook-Smith — 221 Carbodiimide crosslinking of human C1q and rabbit IgG

V. F. J. Quesniaux, D. Schmitter, M. H. Schreier and M. H. V. Van Regenmortel — 227 Monoclonal antibodies to cyclosporin are representative of the major antibody populations present in antisera of immunized mice

N. Pineau, J. L. Pousset, J. L. Preud'Homme and P. Aucouturier — 237 Structural and functional similarities of breadfruit seed lectin and jacalin

C. H. Schneider, H. Rolli, J. Metzger and G. Jung — 241 Anaphylactic properties of monohaptenic dinitrophenylated tripalmitoyl-*S*-glycerylcysteinyl lipopeptides

B. M. Kumpel and A. G. Hadley — 247 Functional interactions of red cells sensitized by IgG1 and IgG3 human monoclonal anti-D with enzyme-modified human monocytes and FcR-bearing cell lines

D. M. Ojcius and J. D. Young — 257 Characterization of the inhibitory effect of lysolipids on perforin-mediated hemolysis

L. C. Pfefferkorn, P. M. Guyre and M. W. Fanger — 263 Functional comparison of the inductions of NADPH oxidase activity and FcγRI in IFNγ-treated U937 cells

A. C. Morgan Jr, G. Sivam, P. Beaumier, R. McIntyre, M. Bjorn and P. G. Abrams — 273 Immunotoxins of Pseudomonas exotoxin A (PE): effect of linkage on conjugate yield, potency, selectivity and toxicity

P. Pantazis, V. S. Kalyanaraman and D. H. Bing — 283 Synthesis of the third component of complement (C3) by lectin-activated and HTLV-infected human T-cells

C. Vita, S. Baumhüter and G. Corradin — 291 Lack of correlation between structural properties and biological activity of two cross-reacting cytochrome *c* T cell epitopes as determined by circular dichroism measurements

D. Jenkins, J. Fletcher, C. Mijovic, A. R. Bradwell and A. H. Barnett — 297 Analysis of MHC class II DNA polymorphisms in Negroid subjects

Y.-W. Li, D. K. Lawrie, P. Thammana, G. P. Moore and C. W. Shearman — 303 Construction, expression and characterization of a murine/human chimeric antibody with specificity for hepatitis B surface antigen

Preliminary Communication

A. Corell, J. M. Martin-Villa, P. Varela, J. L. Vicario, J. Martinez-Laso and A. Arnaiz-Villena — 313 Exon 2 DNA sequence of the HLA-DRw13b allele obtained from genomes of five different individuals

Announcement

317 Second International Conference on Negative Regulators of Hematopoiesis

APRIL

J. E. Butler, Y. Heo, P. Adams and H. B. Richerson — 319 The antigen-limited nature of microtiter ELISAs requires partial depletion of IgG to permit reliable determination of rabbit serum IgA antibody activity

R. W. Johnstone, S. M. Andrew, M. P. Hogarth, G. A. Pietersz and I. F. C. McKenzie — 327 The effect of temperature on the binding kinetics and equilibrium constants of monoclonal antibodies to cell surface antigens

Y. Imai and T. Osawa — 335 Elevation of the activities of glycosyl transferases involved in polylactosaminoglycan biosynthesis in autoimmune MRL *lpr/lpr* mouse T cells

E. Utzig and G. Rialdi — 343 Kinetics and thermodynamic study on the chemical reduction of macroimmunoglobulins

B. Hall, C. Bona and C. Victor-Kobrin — 351 Binding specificities of inulin-binding immunoglobulins for sinistrin and oligosaccharides isolated from asparagus roots

F. Troalen, A. Razafindratsita, A. Puisieux, T. Voeltzel, C. Bohuon, D. Bellet and J.-M. Bidart — 363 Structural probing of human lutropin using antibodies raised against synthetic peptides constructed by classical and multiple antigen peptide system approaches

M. Lötscher, H. Amstutz, C. H. Heusser and K. Blaser — 369 Fine specificity and heavy chain V gene usage of antibodies to the phosphorylcholine hapten

Preliminary Communication

W. Engelhardt, C. Geerds and J. Frey — 379 Organization of human FcRII and FcRII-like (βFcRII) genes: structural homology to HLA class I and II genes

383 *Book Review*

MAY

G. Merlini, R. Bruening, R. A. Kyle and E. F. Osserman — 385 The second riboflavin-binding myeloma IgGλ^{DOT}. I. Biochemical and functional characterization

J. Hinkula, J. Rosen, V.-A. Sundqvist, T. Stigbrand and B. Wahren — 395 Epitope mapping of the HIV-1 gag region with monoclonal antibodies

S. J. Cooney, M. A. Smal, D. G. Harle and B. A. Baldo — 405 Combining site specificities of rabbit antibodies to platelet-activating factor (PAF)

S. Simonis, J. Miller and S. E. Cullen	413	Biosynthesis and intracellular transport of MHC Class II molecules associated with a mutated, glycosaminoglycan-negative invariant chain
W. W. Stewart, A. Johnson, M. W. Steward, K. Whaley and M. A. Kerr	423	The effect of antibody isotype on the activation of C3 and C4 by immune complexes formed in the presence of serum: correlation with the prevention of immune precipitation
H. Souchon, N. Doyen, M.-M. Riottot, F. Rougeon and R. J. Poljak	429	Nucleotide sequence of the V_H, V_L regions of an anti-idiotopic antibody reacting with a private idiotope of the anti-lysozyme D1.3 antibody
E. Guerrero, P. D. Swenson, P. Hu and D. L. Peterson	435	The antigenic structure of HBsAg: study of the d/y subtype determinant by chemical modification and site directed mutagenesis
T. Yamanaka, Y. Akahane, H. Suzuki, H. Okamoto, F. Tsuda, Y. Miyakawa and M. Mayumi	443	Hepatitis B surface antigen particles with all four subtypic determinants: point mutations of hepatitis B virus DNA inducing phenotypic changes or double infection with viruses of different subtypes
M. F. Flajnik, S. Ferrone, N. Cohen and L. Du Pasquier	451	Evolution of the MHC: antigenicity and unusual tissue distribution of *Xenopus* (frog) class II molecules
R. G. Smith and E. W. Voss, Jr	463	Variable region primary structures of monoclonal anti-DNA autoantibodies from NZB/NZW F_1 mice
	471	Addendum
	472	Notes for Contributors

JUNE

S. Hauschildt, B. Wolf, A. Lückhoff and W. G. Bessler	473	Determination of second messengers and protein kinase C in bone marrow derived macrophages stimulated with a bacterial lipopeptide
J. J. Liepnieks, F. E. Dwulet and M. D. Benson	481	Amino acid sequence of a kappa I primary (AL) amyloid protein (AND)
P. Borden and E. A. Kabat	487	An immunochemical analysis of precipitating and non-precipitating idiotype–anti-idiotype reactions
W. P. Pfund and J. S. Bourdage	495	The conformation-sensitive immunoassay: a membrane based ELISA system for identifying antibodies sensitive to alterations of protein conformation
T. Manser	503	Limits on heavy chain junctional diversity contribute to the recurrence of an antibody variable region
R. Attanasio, R. C. Kennedy, J. S. Allan, V. C. Maino, D. Buck and P. Kanda	513	Anti-idiotypic antibodies of a predefined specificity generated against CDR3V_H synthetic peptides define a private anti-CD4 idiotype
P. Åkesson, J. Cooney, F. Kishimoto and L. Björck	523	Protein H—A novel IgG binding bacterial protein
L. S. Zalman and H. J. Müller-Eberhard	533	Comparison of channels formed by poly C9, C5b-8 and the membrane attack complex of complement
A. R. Neurath and N. Strick	539	Confronting the hypervariability of an immunodominant epitope eliciting virus neutralizing antibodies from the envelope glycoprotein of the human immunodeficiency virus type 1 (HIV-1)
M.-L. Defendini, M. Pierres, A. Regnier-Vigouroux, H. Rochat and C. Granier	551	Epitope mapping of apamin by means of monoclonal antibodies raised against free or carrier-coupled peptide

S. M. Widacki, V. Mehta, L. Flaherty and R. G. Cook 559 Biochemical differences in Qa-2 antigens expressed by Qa-2^+,6^+ and Qa-2^+,6^- strains. Evidence for differential expression of the *Q7* and *Q9* genes

H. Matsuda, S. Nakamura, Y. Ichikawa, K. Kozai, R. Takano, M. Nose, S. Endo, Y. Nishimura and Y. Arata 571 Proton nuclear magnetic resonance studies of the structure of the Fc fragment of human immunoglobulin G1: comparisons of native and recombinant proteins

A. Enomoto, D.-H. Shon, Y. Aoki, K. Yamauchi and S. Kaminogawa 581 Antibodies raised against peptide fragments of bovine αs1-casein cross-react with the intact protein only when the peptides contain both B and T cell determinants

587 *Announcement*

JULY

M. C. Peitsch, P. Amiguet, R. Guy, J. Brunner, J. V. Maizel, Jr and J. Tschopp 589 Localization and molecular modelling of the membrane-inserted domain of the ninth component of human complement and perforin

A. Fotedar, W. Smart, M. Boyer, T. Dillon, E. Fraga, J. Lauzon, E. M. Shevach and B. Singh 603 Characterization of agretopes and epitopes involved in the presentation of beef insulin to T cells

I. Harari and R. Arnon 613 Carboxy-terminal peptides from the B subunit of Shiga toxin induce a local and parenteral protective effect

J. Ma, J. F. Kearney and L. M. Hendershot 623 Association of transport-defective light chains with immunoglobulin heavy chain binding protein

A. W. Wheeler, B. E. Hickman and B. Fox 631 Heterogeneity of a major allergen from olive (*Olea europea*) pollen

T. Miyata, O. Oda, R. Inagi, S. Sugiyama, A. Miyama, K. Maeda, I. Nakashima and N. Yamanaka 637 Molecular and functional identification and purification of complement component factor D from urine of patients with chronic renal failure

M. A. Brown, I. J. Griffith and L. H. Glimcher 645 Functional and molecular characterization of I-A^k_β mutants is consistent with the predicted three dimensional structure of Class II MHC molecules

F. de la Hoz, F. Polo, J. Moscoso del Prado, J. G. Sellés, M. Lombardero and J. Carreira 651 Purification of *Art v* I, a relevant allergen of *Artemisia vulgaris* pollen

P. M. Lansdorp and T. E. Thomas 659 Purification and analysis of bispecific tetrameric antibody complexes

R. R. Luedtke, M. Bush, R. H. Mach, R. E. Ehrenkaufer, H. F. Kung and P. B. Molinoff 667 Antibodies with high affinity for spiroperidol—II. Cross reactivity with iodobenzamide and domperidone

S. J. Swanson and R. F. Mortensen 679 Binding and immunological properties of a synthetic peptide corresponding to the phosphorylcholine-binding region of C-reactive protein

M. Kuroki, Y. Matsuo, T. Ohtani, J. Minowada, M. Kuroki and Y. Matsuoka 689 A novel CEA-cross-reacting antigen of molecular weight 140,000 expressed on human lymphoid cell lines

Letter to the Editor

K. Lauer 697 Environmental nitrophenols and autoimmunity

699 *Book Reviews*

AUGUST

J. D. Pauls, J. Gohill and M. J. Fritzler	701	Antibodies from patients with systemic lupus erythematosus and drug-induced lupus bind determinants on histone 5 (H5)
B. Y. Klein and S. L. Morrison	713	Expression of genes containing the IgH enhancer in non-lymphoid cells
K. Furukawa, S. Welt, B. W. T. Yin, H.-J. Feickert, T. Takahashi, R. Ueda and K. O. Lloyd	723	Analysis of the fine specificities of 11 mouse monoclonal antibodies reactive with type 2 blood group determinants
C. Genovese and C. Milcarek	733	Increased half-life of μ immunoglobulin mRNA during mouse B cell development increases its abundancy
E. Depla and M. De Ley	745	Monoclonal antibodies against the human interferon γ receptor(s)
M.-A. Tahri-Jouti and R. Chaby	751	Specific binding of lipopolysaccharides to mouse macrophages—I. Characteristics of the interaction and inefficiency of the polysaccharide region
M.-A. Tahri-Jouti, M. Mondange, A. Le Dur, F.-I. Auzanneau, D. Charon, R. Girard and R. Chaby	763	Specific binding of lipopolysaccharides to mouse macrophages—II. Involvement of distinct Lipid A substructures
C. Mihaesco, P. Ferrara, J. C. Guillemot, N. Congy, M. C. Gendron, J. P. Roy, P. Y. Sizaret and E. Mihaesco	771	A new extra sequence at the amino terminal of a μ heavy chain disease protein (DAG)
R. N. Seabrook, A. Robinson, R. P. Sharma, L. I. Irons, L. A. E. Ashworth, C. P. Price and T. Atkinson	777	Recognition of pertussis toxin by antibodies to synthetic peptides
A. L. Sandberg, J. O. Cisar, R. P. Siraganian, L. L. Mudrick and M. W. Armstrong	787	Complement activation by individual and combinations of monoclonal antibodies to *Actinomyces viscosus* T14V fimbriae: a probe for epitope distribution on these polymeric proteins
M. R. Price, F. Hudecz, C. O'Sullivan, R. W. Baldwin, P. M. Edwards and S. J. B. Tendler	795	Immunological and structural features of the protein core of human polymorphic epithelial mucin
S. Ishiura, K. Matsuda, H. Koizumi, T. Tsukahara, K. Arahata and H. Sugita	803	Calcium is essential for both the membrane binding and lytic activity of pore-forming protein (perforin) from cytotoxic T-lymphocyte
J. Xiang, J. Roder and N. Hozumi	809	Production of murine V-human Cr1 chimeric anti-tag72 antibody using V region cDNA amplified by PCR
	819	Corrigendum

SEPTEMBER

G. Johnsén and S. Elsayed	821	Antigenic and allergenic determinants of ovalbumin—III. MCH Ia-binding peptide (OA 323–339) interacts with human and rabbit specific antibodies
T. Imamichi, H. Sato, S. Iwaki, T. Nakamura and J. Koyama	829	Different abilities of two types of Fcγ receptor on guinea-pig macrophages to trigger the intracellular Ca^{2+} mobilization and O_2^- generation
D. M. Ojcius, S. Jiang, P. M. Persechini, J. Storch and J. D.-E Young	839	Resistance to the pore-forming protein of cytotoxic T cells: comparison of target cell membrane rigidity

M. R. Bowles and S. M. Pond	847	The importance of electrostatic interactions in the binding of paraquat to its elicited monoclonal antibody
D. G. Harle, B. A. Baldo and M. M. Fisher	853	The molecular basis of IgE antibody binding to thiopentone. Binding of IgE from thiopentone-allergic and non-allergic subjects
N. Grossman, S. B. Svenson, L. Leive and A. A. Lindberg	859	*Salmonella* O antigen-specific oligosaccharide-octyl conjugates activate complement via the alternative pathway at different rates depending on the structure of the O antigen
P. S. Hiemstra, M. Rits, A. Gorter, M. E. Stuurman, R. Hoekzema, H. Bazin, J.-P. Vaerman, L. A. van Es and M. R. Daha	867	Rat polymeric IgA binds C1q, but does not activate C1
J. M. Vogel, M. C. Nieto, A. Fischer and R. S. Goodenow	875	Overlapping palindromic sequences associated with somatic deletion and meiotic recombination of MHC class I genes
I. Z. Siemion, E. Nawrocka, J. Słoń, A. Pędyczak, A. Kubik, K. Spiegel, M. Zimecki and Z. Wieczorek	887	Immunoregulatory activity of Substance P fragments
P. Sánchez-Corral, L. C. Antón, J. M. Alcolea, G. Marqués, A. Sánchez and F. Vivanco	891	Proteolytic activity of the different fragments of factor B on the third component of complement (C3). Involvement of the *N*-terminal domain of Bb in magnesium binding
R. I. Near, S. C. Ng, M. Mudgett-Hunter, N. W. Hudson, M. N. Margolies, J. G. Seidman, E. Haber and M. A. Jacobson	901	Heavy and light chain contributions to antigen binding in an anti-digoxin chain recombinant antibody produced by transfection of cloned anti-digoxin antibody genes
T. Takahashi, N. Yamaguchi, S. Mita, Y. Yamaguchi, T. Suda, A. Tominaga, Y. Kikuchi, Y. Miura and K. Takatsu	911	Structural comparison of murine T-cell (B151K12)-derived T-cell-replacing factor (IL-5) with rIL-5: dimer formation is essential for the expression of biological activity
E. Abraham, L. Andrade and A. A. Freitas	921	Immunoglobulin V_H gene expression following hemorrhage
M. Cogné, S. Mounir, T. Mahdi, J. L. Preud'homme, F. Nau and P. Guglielmi	929	Production of an abnormal μ chain with a shortened V_HIV subgroup variable region in a Burkitt's lymphoma cell line
V. Guigou, A.-M. Cuisinier, C. Tonnelle, D. Moinier, M. Fougereau and F. Fumoux	935	Human immunoglobulin V_H and V_K repertoire revealed by *in situ* hybridization

OCTOBER

J. E. Kim, M. Kojima, R. Houghten, C. D. Pendleton, J. L. Cornette, C. DeLisi and J. A. Berzofsky	941	Characterization of a helper T cell epitope recognized by mice of a low responder major histocompatibility type
E. J. Quackenbush, S. Vera, A. Greaves and M. Letarte	947	Confirmation by peptide sequence and co-expression on various cell types of the identity of CD44 and P85 glycoprotein
H. Juhl, E. C. Petrella, N.-K. V. Cheung, R. Bredehorst and C.-W. Vogel	957	Complement killing of human neuroblastoma cells: a cytotoxic monoclonal antibody and its $F(ab)'_2$–cobra venom factor conjugate are equally cytotoxic
A. Yu. Karulin and B. B. Dzantiev	965	Polyvalent interaction of antibodies with bacterial cells
J. Wen and M. Yaneva	973	Mapping of epitopes on the 86 kDa subunit of the Ku autoantigen

J. C. Olson, A. N. Hamood, T. S. Vincent, E. H. Beachey and B. H. Iglewski	981	Identification of functional epitopes of *Pseudomonas aeruginosa* exotoxin A using synthetic peptides and subclone products
A. Morel, M. Darmon and M. Delaage	995	Recognition of imidazole and histamine derivatives by monoclonal antibodies
J. D.-E Young and T. M. Young	1001	Channel fluctuations induced by membrane attack complex C5B-9
J. G. Dohlman, H. De Loof and J. P. Segrest	1009	Charge distributions and amphipathicity of receptor-binding alpha-helices
V. E. Reyes, E. J. Fowlie, S. Lu, L. Phillips, L. T. Chin, R. E. Humphreys and R. A. Lew	1021	Comparison of three related methods to select T cell-presented sequences of protein antigens
D. Schmitter, O. Poch, G. Zeder, G. F. Heinrich, H.-P. Kocher, V. F. J. Quesniaux and M. H. V. Van Regenmortel	1029	Analysis of the structural diversity of monoclonal antibodies to cyclosporine
D. G. Harle, B. A. Baldo and M. M. Fisher	1039	Immunoassays employing substituted ammonium compounds other than neuromuscular blocking drugs to increase the detection of IgE antibodies to these drugs
B. M. Nilsen and B. S. Paulsen	1047	Isolation and characterization of a glycoprotein allergen, *Art V* II, from pollen of mugwort (*Artemisia vulgaris* L.)
		Preliminary Communication
H.-J. Hofmann, D. Hädge, M. Höltje and H.-D. Höltje	1057	Protein–water interaction energies as predictor for antigenic determinants
	1061	*Announcement*

NOVEMBER

	i	Editorial Guideline
D. G. Harle and B. A. Baldo	1063	Identification of penicillin allergenic determinants that bind IgE antibodies in the sera of subjects with penicillin allergy
K. Meek, G. Rathbun, L. Reininger, J.-C. Jaton, R. Kofler, P. W. Tucker and J. D. Capra	1073	Organization of the murine immunoglobulin VH complex: placement of two new VH families (VH10 and VH11) and analysis of VH family clustering and interdigitation
N. M. Young, G. E. D. Jackson and J.-R. Brisson	1083	The glycopeptides of the mouse immunoglobulin A T15
E. Baixeras, S. Roman-Roman, S. Jitsukawa, C. Genevee, S. Mechiche, E. Viegas-Pequignot, T. Hercend and F. Triebel	1091	Cloning and expression of a lymphocyte activation gene (LAG-1)
L. L. Werner, A. Malley, J. V. Torres, C. Y. Leung, H.-S. Kwang and E. Benjamini	1103	Synthetic peptides of envelope proteins of two different strains of simian AIDS retrovirus (SRV-1 and SRV-2) represent unique antigenic determinants for serum neutralizing antibodies
Y. N. Vaishnav and A. Antony	1113	Inhibition of *in vitro* transcription by adenosine antibodies
J. Simeckova-Rosenberg and L. S. Rodkey	1119	Induction and immunochemical properties of a novel anti-antibody

G. Bismuth, H. Gouy, R. A. Mariuzza, C. Vaquero, I. Theodorou and P. Debre	1127	A human TCR-Ig chimeric protein used to generate a TCR α chain variable region-specific mAb
C.-k. Lee, K. Ghoshal and K. D. Beaman	1137	Cloning of a cDNA for a T cell produced molecule with a putative immune regulatory role
J. Lund, T. Tanaka, N. Takahashi, G. Sarmay, Y. Arata and R. Jefferis	1145	A protein structural change in aglycosylated IgG3 correlates with loss of huFcγR1 and huFcγR111 binding and/or activation
T. C. Farries, K. L. Knutzen Steuer and J. P. Atkinson	1155	The mechanism of activation of the alternative pathway of complement by cell-bound C4b

DECEMBER

Signals and Signal Processing—VI. Receptor Expression and Release—Regulatory Role of Membrane Bound and Soluble Receptors

Guest Editors: J. Gergely and M. P. Dierich

	i	Editorial
J. Gergely and M. P. Dierich	1163	Introduction
R. G. Lynch, M. Sandor, T. J. Waldschmidt, A. Mathur, W. T. Schaiff, D. J. Berg, K. Snapp, A. Mueller, M. G. Robinson, N. Noben and M. G. Rosenberg	1167	Lymphocyte Fc receptors: expression, regulation and function
M. Daëron, C. Bonnerot, S. Latour, M. Benhamou and W. H. Fridman	1181	The murine αFcγR gene product: identification, expression and regulation
G. Laszlo and H. B. Dickler	1189	Regulation of FcγR II expression and function by B lymphocyte activators
G. Sármay, Z. Rozsnyay and J. Gergely	1195	FcγRII expression and release on resting and activated human B lymphocytes
C. Sautès, N. Varin, P. M. Hogarth, J. C. Unkeless, C. Teillaud, J. Even, A. Lynch and W. H. Fridman	1201	Molecular and functional studies of recombinant soluble Fcγ receptors
J.-L. Teillaud, S. Brunati, M. Elmalek, A. Astier, P. Nicaise, J. Moncuit, C. Mathiot, C. Job-Deslandre and W. H. Fridman	1209	Involvement of FcR^+ T cells and of IgG-BF in the control of myeloma cells
Y. Berko-Flint, W. H. Fridman, E. Grossman-Atlas, N. Kimchi, A. L. Ben-Baruch, S. Moss, J.-L. Teillaud, I. P. Witz and M. Ran	1219	Some cellular and molecular characteristics of high and low tumorigenicity variants of polyoma-virus transformed cells
W. B. Tuijnman, F. W. van Dam, J. G. J. van de Winkel and P. J. A. Capel	1229	PMN-derived proteases enhance the affinity of Fcγ receptor II on myeloid cells, but not on B cells
R. Jefferis, J. Lund and J. Pound	1237	Molecular definition of interaction sites on human IgG for Fc receptors (huFcγR)
É. Rajnavölgyi, I. Kurucz, G. Fazekas, É. Sintár, G. László and J. Gergely	1241	*In vivo* manipulation of IgG2a production by isotype-specific autoantibodies
U. Chen	1249	Analysis of cell proliferation and μ-RNA processing during activation of mouse B-cells by anti-μ and T lymphokines

S. Amigorena, D. Choquet, J.-L. Teillaud, H. Korn and W. H. Fridman	1259	Ion channels and B cell mitogenesis
E. Ortega, A. Licht, Y. Biener and I. Pecht	1269	A glycolipid-specific monoclonal antibody modulates Fcε receptor stimulation of mast cells
Y. Tagaya, H. Wakasugi, H. Masutani, H. Nakamura, S. Iwata, A. Mitsui, S. Fujii, N. Wakasugi, T. Tursz and J. Yodoi	1279	Role of ATL-derived factor (ADF) in the normal and abnormal cellular activation: involvement of dithiol related reduction
D. R. Stanworth and A. A. Ghaderi	1291	The role of high and low affinity IgE receptors in cell signalling processes
B. Sarkadi, A. Tordai, M. Müller and G. Gárdos	1297	Regulation of stimulus-induced calcium transport pathways in human T (Jurkat) lymphoblasts
L. Trón, C. Pieri, T. Márián, L. Balkay, M. Emri and S. Damjanovich	1307	Bretylium causes a K^+–Na^+ pump activation that is independent of Na^+/H^+ exchange in depolarized rat, mouse and human lymphocytes
M. Edidin and J. Reiland	1313	Dynamic measurements of the associations between class I MHC antigens and insulin receptors
Y. Yarden	1319	Receptor-like oncogenes: functional analysis through novel experimental approaches
M. Ketzinel, G. Arad, C. Tal, M. Schlesinger, R. Nussinovich, A. Reshef, D. Sayar, L. Gerez and R. Kaempfer	1325	The potential to express or suppress human interleukin-2 and interferon-γ genes is not restricted to distinct cell subsets
W. Li, T. Diamantstein and T. Blankenstein	1331	Lack of tumorigenicity of interleukin 4 autocrine growing cells seems related to the anti-tumor function of interleukin 4
D. M. Segal, M. A. Garrido, J.-h. Qian, D. Mezzananica, S. Andrew, P. Perez, I. Kurucz, M. J. Valdayo, J. A. Titus, D. F. Winkler and J. R. Wunderlich	1339	Effectors of targeted cellular cytotoxicity
E. Klein, L. Di Renzo and E. Yefenof	1343	Contribution of CR3, CD11b/CD18 to cytolysis by human NK cells
M. P. Dierich, C. F. Ebenbichler, P. H. Hallfeldt, W. M. Prodinger, D. Fuchs and H. Wachter	1349	Interaction of complement with HIV-1 and *Candida albicans*: molecular mechanisms and biological implications
M. N. Hart, Z. Fabry, M. Waldschmidt and M. Sandor	1355	Lymphocyte interacting adhesion molecules on brain microvascular cells